

WORKSHOP[®] MD

WET/DRY VACS

5.0

PEAK HP

12

US
GALLON

- High Performance Detachable Blower For Maximum Versatility
- Qwik Lock[®] Filter Fastening System For Easy Filter Changes
- Dual-Flex[®] Hose Offers 180° Flexibility At Both Hose Ends For Better Maneuverability
- On-Board Storage Keeps Accessories Secure And Within Reach
- Quick-Release Locking Hose Stays Secure During Use

DETACHABLE BLOWER VAC

Two tools in one, this 12 Gallon Vac easily converts to a hand held blower for even more cleaning versatility.



2 1/2"

DIAMETER



Includes: Vac, Hose, Utility Nozzle, Car Nozzle, Wet Nozzle, Blower Nozzle, Male-Male Adapter, 2 Extension Wands, Locking Sleeve, Standard Filter, Owner's Manual

WSI200DE

5 YEAR*
LIMITED
WARRANTY

WORKSHOP[®] MD

WET/DRY VACS

www.WORKSHOPvacs.com

5.0

PEAK HP

12

US
GALLON

SPECIFICATIONS

Drum Size	12 Gal /45 L
Peak H.P.	5.0
Voltage	120
Amps	10.0
CFM	143
Static Lift	50 in
Max Air Watts	237
Blowing Capability	Yes - Detach
Cord Length	20' / 6 m
Hose Length	7' / 2,1 m
Drain Port	Yes
Construction	Polypropylene
Accessory Size	2½" / 6,4 cm
Accessory Storage	Yes - Caster Feet
U.L. Listed	Yes
Standard Filter	WS21200F

20'/6M



Detachable Leaf Blower – High performance vacuum power head doubles as a detachable leaf blower for added convenience and versatility.



2½" x 7' Dual-Flex[®] Locking Hose offers 180° flexibility at both hose ends for better maneuverability.

Large latches make emptying the drum or changing the filter a snap.

Tough, copolymer drum resists dents and cracks, will not rust.

Built-in drum handles make it easier to carry when drum is full.



Large drain located at the drum's lowest point for quick and easy liquid disposal.

Accessory storage on caster feet keep accessories close at hand.

OPTIONAL FILTRATION

Fine Dust Filter	WS22200F
HEPA Media Filter	WS23200F
Wet Application Filter	WS24200F



Qwik Lock[®] Filter Fastening System – Makes installing or removing your filter quick, easy and secure.



WORKSHOP[®] Wet/Dry Vacs
8100 West Florissant
St. Louis, MO 63136

1-888-455-8724



WORKSHOPbrand

Real-world performance data achieved from testing at the end of the hose. Competitors typically test at or near motor. Gallons indicated reflect drum volume, not necessarily collection capacity. Actual capacity dependent upon type of debris collected, condition of filter, and other factors. Peak Horsepower represents a level at or below the maximum horsepower output of an electric motor tested in a laboratory using a dynamometer. All details subject to change without notice.